


100' DEFENSIBLE SPACE

To reduce the danger to life and property from destructive brush fires, residents are asked to:

- ☐ Maintain effective Defensible Space by removing, modifying, or thinning highly ignitable shrubs, trees or plants and other flammable materials from areas within 100 horizontal feet of structures.
- ☐ In the unincorporated area, the 100 foot fuel modification zone is divided into two zones as follows:



① Zone one: Area within a 50 foot radius of **any** structure. Must be modified/ treated and planted with fire resistive plants.

② Zone two: Area between 50 to 100 feet from the structure. Native vegetation may remain, but it must be thinned by 50% when the parcel is compared to the natural wildland setting adjacent to it. All dead and dying vegetation must be removed. Grass and other vegetation less than 18" in height above the ground need not be removed when necessary to stabilize the soil and prevent erosion.

- ☐ Remove all dead wood from trees adjacent to or overhanging a building. Remove limbs from bottom 1/3 of tree, up to a maximum of 6 feet above the ground, and all limbs within 10 foot radius of the chimney stack opening; remove debris from under trees.
- ☐ Remove leaves, needles, or other dead vegetative growth from all roofs and gutters.
- ☐ Stack firewood 30 feet away from structures.
- ☐ Remove garbage, refuse, rubbish, trash, cuttings, fallen limbs, trimmings, or other easily ignitable waste material from property.
- ☐ Remove all combustible vegetation within 10 feet along both sides of roadways and driveways.
- ☐ Maintain a 13 foot 6 inch vertical clearance over all roads and driveways for emergency vehicles.
- ☐ Remove all items that would easily ignite such as trash or shrubs and trees within 10 feet of propane tanks.
- ☐ Display address at a location plainly visible to emergency vehicles on the street or roadway fronting your property.

These are the minimum requirements. Your particular parcel may have additional requirements based on topography and native plant conditions. In addition, you may consider locating patio furniture away from structures, to avoid an ignition source.

For more information visit: www.ReadySanDiego.org



"This document was prepared under a grant from FEMA's Grant Programs Directorate, U.S. Department of Homeland Security. Points of view or opinions expressed in this document are those of the authors and do not necessarily represent the official position or policies of FEMA's Grant Programs Directorate or the U.S. Department of Homeland Security."

Contact your local CAL FIRE office, fire department, or Fire Safe Council for tips and assistance. www.fire.ca.gov